



SAFETY FOOTWEAR



ANATOMİ ANATOMY



TEKNOLOJİ TECHNOLOGY

LEATHER


EN ISO 20344
compatible skin and split
leather are used in Mekap
safety footwear. Skin
leather that is produced
for the most challenging
environments, most
importantly, can breath.
It is also waterproof,
resistant to laceration
and abrasion. With less
challenging environments,
split leather, produced
with the same quality and
durability as skin leather
is used.



TEKNOLOJİ TECHNOLOGY

FUSBET

REMOVABLE INSOLE



CLIMATEX FOOTBED



CLIMATEX

Breathable: With the open pore structure, it passes air in and helps the shoe get ventilated.

Sweat absorption and releasing the absorbed sweat: The footbeds, we use, have a high capacity to absorb sweat and release the absorbed sweat, so that it dries in seconds.


Antibacterial: Antibacterial feature that is in the footbed blocks the production of bacteria and smell.

Resistant to Abrasion: During the life cycle, it is resistant to abrasion.

Climatization: it provides the needed temperature inside the shoe. In winters, it provides a hot temperature, and in summers, cold.

Washability: it has the feature to be washed in 30°C. It keeps its features following the washing process.

Suspension: The inner base of the shoe is soft, providing a comfortable walking experience.



SOFT WALK SİSTEMİ



SOFT WALK

SOFT WALK SYSTEM

Soft walk system, in direct contact with the foot, guarantees transpiration and comfort. Air circulation through the porous structure of PU, with large holes in the area where the heel sits, supports the heel correctly. By compressing and expanding, it lets out the moist air, away from the foot, generating a flow of air inside the footwear.

TEKNOLOJİ TECHNOLOGY

LINING



DRY TOUCH®

The tests show that DRY TOUCH® absorbs the moisture ten times faster than cotton. In contrast to cotton, when plunged into water vertically, DRYTOUCH® has more absorption feature.

The Features of the Climatex Cloth

Specially produced for the shoe sector, this cloth is highly breathable, has a quick absorbing and releasing sweat and moisture feature, high technology product with silver ion yarns. This product is also produced for usage in shoes as lining with the high breathable function of its sponge without using a glue. It absorbs and releases the moisture and air easily. The Climatex cloth, which has a very soft touching, because of its high breathable function, ventilates and quickly absorbs water. High resistance against abrasion, fastness to perspiration, and its feature to not have a stain provides a superiority against cotton.

Antimicrobial Features

Antimicrobial feature is permanent since the feature is given to the yarn during the production not at the end. The feature can not be affected of washing and abrasion, does not harm the human body, cause itchiness, irritation.



CORDURA

Cordura

Products made with CORDURA® Classic fabrics such as packs, luggage, footwear and performance apparel, feature enhanced tear and abrasion resistance, and longlasting durability.

Mimosa Anorak


With its resistance to abrasion and high breathable feature, this product, specially preferred in summer models.

Nemrut inside Lining

Since the flamed lamination is used there is no need to use a glue. Since there is no glue, breathing feature is very high. Pores of the sponge used in the middle level are designed to make air flowing better. It has the features of absorbing sweat and blocking smell.

TEKNOLOJİ TECHNOLOGY

KEVLAR BASE



Multi Protective

Multi Protective Anti-perforation, which ensures maximum resistance to perforation. MEKAP footwear has been certified as "zero perforation" since 2010, in compliance with the new standard EN ISO 12568:2010, integrated in standard EN ISO 20345:2011; this regulation states that the tip of the nail must not perforate the insole under a force of 1100 N. Soft and flexible, it increases comfort and sensitivity, ensuring greater movement control and less strain. The possibility to use it as a "strobe stitched" insole increases the protection surface by 100%. Excellent thermal insulation and not detected by the metal detector.



Recyclable



Flexible & Light



EN 12568:2010



No coatings or additives



Breath ability & permit water vapour



Available in insulating Anti-static & conductive



PU Sole

BASF is a global manufacturer of differentiated chemicals. The polyurethanes division of BASF is a leading developer of engineering materials for technical injected sport, leisure, and professional footwear. Available in an assortment of hardnesses and densities.

BASF Polyurethanes footwear systems are light yet tough; comfortable but hard wearing; flexible and durable; they perform equally well in hard wearing work footwear where chemical, oil, solvent and slip resistance are essential to comply with workplace safety standards.


TEKNOLOJİ TECHNOLOGY



ESD PROTECTION - EPA AREAS

Following the increased use of electronic instruments, there has also been a rise in the demand for ESD footwear. Mekap expands its ESD product range,

Mekap, it is excellent for less restrictive workplaces. Mekap ESD footwear discharges the accumulated electrostatic charges constantly and effectively to the ground. Static electricity is normally defined as missing or excess electrons on the surface of an object neutral. Installed an electrostatic fields, particularly in situations which will create noise or damage to electrostatic sensitive devices events can discharge static electricity. ESD footwear, accumulate in the human body serves to spread the electrostatic current.



SRC

SRC EN ISO 20345:2011

In terms of non-slip, standard EN ISO 20345:2011 states that the footwear must pass tests on 2 different surfaces with classifications related to the individual tests, SRA or SRB. As the requirements of both tests are passed, SRA and SRB, all the MEKAP footwear is awarded SRC non-slip certification.

SRC (SRA+SRB)

PU-PU

SRA CERAMIC + DETERGENT SOLUTION	FLAT ≥ 0,32 HEEL ≥ 0,28		
SRB STEEL + GLYCEROL	FLAT ≥ 0,18 HEEL ≥ 0,13		

PU-PU

SRA CERAMIC + DETERGENT SOLUTION	FLAT ≥ 0,32 HEEL ≥ 0,28	
---	----------------------------------	---

CTC

COMPOSITE
TOE CAP

Composite Toe Cap

ULTRA LIGHT PROTECTION

Made of ultra-light composite material, it is resistant to an impact force of over 200J, requested by the standard, and is capable of immediately regaining its original shape without trapping the foot in the case of a very strong impact. It ensures perfect thermal insulation, it is not electrically conductive and is not detected by the metal detector.



ROVER TABAN

ROVER SOLE

LIGHT & CLASSY

PU SOLE

The low density of PU comfort layer adds lightness and flexibility and provides excellent absorption of heel shocks and vibrations.

PU OUTER SOLE

- The outer sole is a high-density PU resistant to abrasion, hydrocarbons, oils and grease.
- Central groove to channel away fluids
- Self-cleaning radial lugs
- Heel and arch support reinforcement
- Progressive heel shock and vibration absorber
- Anti-static

PU/PU DUAL SHOCK ABSORBER

SRC



COMFORTABLE, DURABLE, HEALTHY

JERIKO 236 BLACK S2-S3 SRC
EN ISO 20345:2011 S2/S3



KALIP JERIKO SAYA Vidala deri ASTAR 3D Hava geçirgen file İÇ TABAN Soft-Walk TABAN PU/PU Çift Densite SRC BURUN KORUMA Çelik Burun ARA TABAN Multi Protection Kewlar taban NUMARA 36-47	LINE JERIKO UPPER Full Grain leather LINING 3D Air-Lining REMOVABLE INSOLE Soft-Walk SOLE PU/PU Dual-Density SRC passed TOE CAP Steel toe cap MIDSOLE Multi Protection anti-perforation SIZE 36-47
---	--

NAKODA ATP-40 BLACK S2-S3 SRC
EN ISO 20345:2011 S2/S3



KALIP ATLAS SAYA Vidala deri ASTAR 3D Hava geçirgen file İÇ TABAN Soft-Walk TABAN PU/PU Çift Densite SRC BURUN KORUMA Non Metalic Kompozit ARA TABAN Multi Protection Kewlar taban NUMARA 36-47	LINE ATLAS UPPER Full Grain leather LINING 3D Air-Lining REMOVABLE INSOLE Soft-Walk SOLE PU/PU Dual-Density SRC passed TOE CAP Composite toe cap MIDSOLE Multi Protection anti-perforation SIZE 36-47
---	---

KIOWA ATP-20 GRAY BLUE S1-S1P SRC
EN ISO 20345:2011 S1/S1P



KALIP ATLAS SAYA Süet Deri ASTAR 3D Hava geçirgen file İÇ TABAN Soft-Walk TABAN PU/PU Çift Densite SRC BURUN KORUMA Non Metalic Kompozit ARA TABAN Multi Protection Kewlar taban NUMARA 36-47	LINE ATLAS UPPER Suede Leather LINING 3D Air-Lining REMOVABLE INSOLE Soft-Walk SOLE PU/PU Dual-Density SRC passed TOE CAP Composite toe cap MIDSOLE Multi Protection anti-perforation SIZE 36-47
---	--

HAWAI RMK-10 BLUE SUEDE S1/S1P SRC
EN ISO 20345:2011 S1/S1P



KALIP ROVER SAYA Süet deri ASTAR 3D Hava geçirgen file İÇ TABAN Soft-Walk TABAN PU/PU Çift Densite SRC BURUN KORUMA Çelik Burun ARA TABAN Multi Protection Kewlar taban NUMARA 36-47	LINE ROVER UPPER Suede Leather LINING 3D Air-Lining REMOVABLE INSOLE Soft-Walk SOLE PU/PU Dual-Density SRC passed TOE CAP Steel toe cap MIDSOLE Multi Protection anti-perforation SIZE 36-47
--	--

SAVANA RMK-40 BLACK S1/S1P SRC
EN ISO 20345:2011 S1/S1P



KALIP ROVER SAYA Vidala deri ASTAR 3D Hava geçirgen file İÇ TABAN Soft-Walk TABAN PU/PU Çift Densite SRC BURUN KORUMA Çelik Burun ARA TABAN Multi Protection Kewlar taban NUMARA 36-47	LINE ROVER UPPER Full Grain leather LINING 3D Air-Lining REMOVABLE INSOLE Soft-Walk SOLE PU/PU Dual-Density SRC passed TOE CAP Steel toe cap MIDSOLE Multi Protection anti-perforation SIZE 36-47
--	---

HAWAI RMK-12 GRAY SUEDE S1/S1P SRC
EN ISO 20345:2011 S1/S1P



KALIP ROVER SAYA Süet deri ASTAR 3D Hava geçirgen file İÇ TABAN Soft-Walk TABAN PU/PU Çift Densite SRC BURUN KORUMA Çelik Burun ARA TABAN Multi Protection Kewlar taban NUMARA 36-47	LINE ROVER UPPER Suede Leather LINING 3D Air-Lining REMOVABLE INSOLE Soft-Walk SOLE PU/PU Dual-Density SRC passed TOE CAP Steel toe cap MIDSOLE Multi Protection anti-perforation SIZE 36-47
--	--

POLICAP TABAN

POLICAP SOLE

DURABLE & STRONG

PU SOLE

The low density of PU comfort layer adds lightness and flexibility and provides excellent absorption of heel shocks and vibrations.

PU OUTER SOLE

- The outer sole is a high-density PU resistant to abrasion, hydrocarbons, oils and grease.
- Central groove to channel away fluids
- Self-cleaning radial lugs
- Heel and arch support reinforcement
- Progressive heel shock and vibration absorber
- Anti-static

PU/PU DUAL SHOCK ABSORBER

SRC



COMFORTABLE, DURABLE, HEALTHY

EN ISO 20345:2011 

POLICAP 157-01 GRAY S1-S1P SRC
EN ISO 20345:2011 S1/S1P



KALIP POLICAP	LINE POLICAP
SAYA Süet Deri	UPPER Suede Leather
ASTAR Ter emici nefes alabilen	LINING Breathable lining with
İÇ TABAN Soft-Walk	REMOVEABLE INSOLE sweat absorption
TABAN PU/PU Çift Densite	SOLE Soft-Walk
SRC SRC passed	DUAL-DENSITY PU/PU Dual-Density
BURUN KORUMA Non metalic Kompozit	TOE CAP SRC passed
ARA TABAN Multi Protection	MIDSOLE Composite toe cap
Kewlar taban Kewlar taban	anti-perforation Multi Protection
NUMARA 36-46	SIZE anti-perforation
	SIZE 36-46

POLICAP 106 BLACK BARTON S2-S3 SRC
EN ISO 20345:2011 S2/S3



KALIP POLICAP	LINE POLICAP
SAYA Nefes alabilen baskılı deri	UPPER Breathactive printed leather
ASTAR Ter emici nefes alabilen	LINING Breathable lining with
İÇ TABAN Soft-Walk	REMOVEABLE INSOLE sweat absorption
TABAN PU/PU Çift Densite	SOLE Soft-Walk
SRC SRC passed	DUAL-DENSITY PU/PU Dual-Density
BURUN KORUMA Non metalic Kompozit	TOE CAP SRC passed
ARA TABAN Multi Protection	MIDSOLE Composite toe cap
Kewlar taban Kewlar taban	anti-perforation Multi Protection
NUMARA 36-46	SIZE anti-perforation
	SIZE 36-46

ROVER STAFF BLACK



KALIP ROVER	LINE ROVER
SAYA Vidala deri	UPPER Full Grain leather
ASTAR 3D Geçirgen File	LINING 3D Air-Lining
İÇ TABAN Nefes alan iç tabanlık	REMOVEABLE INSOLE Climatex footbed
TABAN PU/PU Çift Densite	SOLE PU/PU Dual-Density
NUMARA 36-47	SIZE 36-47

SLIPPER 210-01 WHITE S1-S1P SRC
EN ISO 20345:2011 S1/S1P



KALIP JERIKO	LINE JERIKO
SAYA Micro fiber	UPPER Micro Fiber
ASTAR 3D Hava geçirgen file	LINING 3D Air-Lining
İÇ TABAN Soft-Walk	REMOVEABLE INSOLE Soft-Walk
TABAN PU/PU Çift Densite	SOLE Soft-Walk
SRC SRC passed	DUAL-DENSITY PU/PU Dual-Density
BURUN KORUMA Çelik Burun	TOE CAP SRC passed
ARA TABAN Multi Protection Kewlar	MIDSOLE Steel toe cap
taban Kewlar taban	anti-perforation Multi Protection
NUMARA 36-47	SIZE anti-perforation
	SIZE 36-47

POLICAP 155 BLACK BARTON S1-S1P SRC
EN ISO 20345:2011 S1/S1P



KALIP POLICAP	LINE POLICAP
SAYA Nefes alabilen baskılı deri	UPPER Breathactive printed leather
ASTAR Ter emici nefes alabilen	LINING Breathable lining with
İÇ TABAN Soft-Walk	REMOVEABLE INSOLE sweat absorption
TABAN PU/PU Çift Densite	SOLE Soft-Walk
SRC SRC passed	DUAL-DENSITY PU/PU Dual-Density
BURUN KORUMA Non metalic Kompozit	TOE CAP SRC passed
ARA TABAN Multi Protection	MIDSOLE Composite toe cap
Kewlar taban Kewlar taban	anti-perforation Multi Protection
NUMARA 36-46	SIZE anti-perforation
	SIZE 36-46

WHITE GROUP

HYGIENIC & COMFORTABLE

MEKAP White Group, with breathactive microfiber skin leather upper and antibacterial, oil and chemical resistant, anti-slip features, is designed to meet the needs of sterile, sanitary and agribusiness environments. With PU / PU sole, it provides lightness, flexibility and durability together.


PU/PU ÇİFT DENSİTE ŞOK EMİCİ



SRC

COMFORTABLE, DURABLE, HEALTHY

EN ISO 20345:2011 CE



1972

The first company that adapted the injection molding system in Turkey.

400

bizi tercih ediyor
Choice of 400 of top 500 companies

mekap



18.000 m²

3 factories established on 18.000 m2 area.

2.750.000

2,750,000 units per year with an average capacity of 230,000 per month.

5.000

5000 jobs by Employing 350 employees and 4650 service provider

8

We continue to break grounds in our area.
Our new project soon...

The biggest machine park of Turkey with 8 new generation injection molding machines in its factories.

STANDARTLAR STANDARDS



Steel Toe-Cap (200 J)



Antistatic Footwear



Antishock Sole



Oil Resistant Sole



Water Resistant Upper



Penetration Resistant Steel Midsole



Anti-Slip Sole



Water Vapour Permeability



Cold Insulation



Sole resistance to 300°C on contact



Abrasion Resistant Sole



Hydrolysis Resistant Sole



Water resistant

CE Label Information

A shoe that bears the sign CE, has passed the mandatory tests relating to the EN ISO 20344 standard and has been produced of highperformance material. In this context, a certified MEKAP shoe has been tested and approved at the Middle East Quality Control Laboratory (Prüf- und Forschungsinstitut Pirmasens e.V. - Marie-Curie-Str. 19-66953 Pirmasens/Germany) which has the authorization number 0193 according to the instructions of the European Economic Community (EEC) (Instruction Number: 89/686 EEC) that is prepared for personal Protective Equipment (PPE). Shoes that are manufactured by MEKAP, meets the relevant qualifications of European standards.

Safety Shoes with 200J resistant toe cap

SB: Safety Basic

S1: A+SB+E

S1P: A+SB+E+P

S2: A+SB+E+WRU

S3: A+SB+E+WRU+P

Working shoes without protecting toe cap

OB: SB (only if present)

O1: A+E

O1P: A+E+P

O2: A+E+WRU

O3: A+E+WRU+P

P

Pierce resistant midsole

C

Conductive footwear

A

Antistatic Footwear

HI

Thermal heat insulation of the sole

CI

Thermal cold insulation of the sole

E

Heel area energy absorption

WRU

Water resistant upper material

HRO

Sole resistance to 300°C on contact


ORO

Oil resistant sole

ESD

Elektrostatic discharge

CERTIFICATES



gripper

ProQuality
SAFETY SHOES



LEATHER

TECHNOLOGY




EN ISO 20344 compatible skin and split leather are used in Gripper safety footwear. Skin leather that is produced for the most challenging environments, most importantly, can breath. It is also waterproof, resistant to laceration and abrasion. With less challenging environments, split leather, produced with the same quality and durability as skin leather is used.



TECHNOLOGY

REMOVABLE INSOLE

**GRIPPER FOOTBED**

Breathable: With the open pore structure, it passes air in and helps the shoe get ventilated.

Sweat absorption and releasing the absorbed sweat: The foot beds, we use, have a high capacity to absorb sweat and release the absorbed sweat, so that it dries in seconds.

Antibacterial: Antibacterial feature that is in the footbed blocks the production of bacteria and smell.

Resistant to Abrasion: During the life span, it is resistant to abrasion.

Climatization: It provides the needed temperature inside the shoe. In winters, it provides a hot temperature, and in summers, cold.

Washability: It has the feature to be washed in 30°C. It keeps its features following the washing process.

Suspension: The inner base of the shoe is soft, providing a comfortable walking experience.



LINING

TECHNOLOGY

CORDURA®

Cordura

Products made with CORDURA® Classic fabrics such as packs, luggage, footwear and performance apparel, feature enhanced tear and abrasion resistance, and longlasting durability.

Mimosa Anorak

With its resistance to abrasion and high breathable feature, this product, specially preferred in summer models.

Nemrut inside Lining

Since the flamed lamination is used there is no need to use a glue. Since there is no glue, breathing feature is very high. Pores of the sponge used in the middle level are designed to make air flowing better. It has the features of absorbing sweat and blocking smell.

The tests show that DRY TOUCH® absorbs the moisture ten times faster than cotton. In contrast to cotton, when plunged into water vertically, DRYTOUCH® has more absorption feature.

The Features of the Climatex Cloth

Specially produced for the shoe sector, this cloth is highly breathable, has a quick absorbing and releasing sweat and moisture feature, high technology product with silver ion yarns. This product is also produced for usage in shoes


as lining with the high breathable function of its sponge without using a glue. It absorbs and releases the moisture and air easily. The Climatex cloth, which has a very soft touching, because of its high

breathable function, ventilates and quickly absorbs water. High resistance against abrasion, fastness to perspiration, and its feature to not have a stain provides a superiority against cotton.



Antimicrobial Features

Antimicrobial feature is permanent since the feature is given to the yarn during the production not at the end. The feature can not be affected of washing and abrasion, does not harm the human body, cause itchiness, irritation.



TECHNOLOGY

KEVLAR BASE

Multi Protective

Multi Protective Anti-perforation, which ensures maximum resistance to perforation. Gripper footwear has been certified as "zero perforation" since 2010, in compliance with the new standard EN ISO 12568:2010, integrated in standard EN ISO 20345:2011; this regulation states that the tip of the nail must not perforate the insole under a force of 1100 N. Soft and flexible, it increases comfort and sensitivity, ensuring greater movement control and less strain. The possibility to use it as a "strobe stitched" insole increases the protection surface by 100%. Excellent thermal insulation and not detected by the metal detector.



Recyclable



Flexible & Light



EN 12568:2010



No coatings or additives



Breath ability & permit water vapour



Available in insulating Anti-static & conductive

**PU Sole**

BASF is a global manufacturer of differentiated chemicals. The polyurethanes division of BASF is a leading developer of engineering materials for technical injected sport, leisure, and professional footwear. Available in an assortment of hardnesses and densities.

BASF Polyurethanes footwear systems are light yet tough; comfortable but hard wearing; flexible and durable; they perform equally well in hard wearing work footwear where chemical, oil, solvent and slip resistance are essential to comply with workplace safety standards.